

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9161	atm.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 12:37
L3	82389	ISP (servic\$2 adj2 provid\$4)	US-PGPUB; USPAT	OR	ON	2006/06/08 12:37
L4	11822	L3.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 12:37
L5	234	L4 and 2	US-PGPUB; USPAT	OR	ON	2006/06/08 12:38
S1	82389	ISP (servic\$2 adj2 provid\$4)	US-PGPUB; USPAT	OR	ON	2006/06/08 12:37
S2	1150082	check\$5 verif\$5 confirm\$4 authentikat\$4 validat\$4 judg\$4 authoriz\$5	US-PGPUB; USPAT	OR	ON	2006/06/08 09:36
S3	1558	edge adj router	US-PGPUB; USPAT	OR	ON	2006/06/08 09:37
S4	1782652	reserve keep hold reservation book request bespeak	US-PGPUB; USPAT	OR	ON	2006/06/08 09:38
S5	4000809	rout\$4 direct\$4 switch\$4 forward\$4 redirect\$4	US-PGPUB; USPAT	OR	ON	2006/06/08 09:38
S6	11174	S4 with S1	US-PGPUB; USPAT	OR	ON	2006/06/08 09:38
S7	244523	internet prodigy aol compuserv	US-PGPUB; USPAT	OR	ON	2006/06/08 09:39
S8	29202	S4 with S7	US-PGPUB; USPAT	OR	ON	2006/06/08 09:39
S9	36585	S6 S8	US-PGPUB; USPAT	OR	ON	2006/06/08 09:39
S10	90875	S2 with S4	US-PGPUB; USPAT	OR	ON	2006/06/08 09:39
S11	291907	(S3 S5) with S4	US-PGPUB; USPAT	OR	ON	2006/06/08 09:41
S12	9611	S9 and S10 and S11	US-PGPUB; USPAT	OR	ON	2006/06/08 09:41
S13	8144	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 09:41
S14	2317	(709/225).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 09:42
S15	280	S14 and S12	US-PGPUB; USPAT	OR	ON	2006/06/08 09:46

EAST Search History

S16	110517	(time adj3 day) tod	US-PGPUB; USPAT	OR	ON	2006/06/08 09:46
S17	48	S15 and S16	US-PGPUB; USPAT	OR	ON	2006/06/08 10:00
S18	3559915	@rlad<"20000615" @ad<"20010615"	US-PGPUB; USPAT	OR	ON	2006/06/08 10:00
S19	30	S17 and S18	US-PGPUB; USPAT	OR	ON	2006/06/08 10:01
S20	166	S15 and S18	US-PGPUB; USPAT	OR	ON	2006/06/08 10:02
S21	988	S16 with (S7 S1)	US-PGPUB; USPAT	OR	ON	2006/06/08 10:52
S22	961	S21 and S5	US-PGPUB; USPAT	OR	ON	2006/06/08 10:52
S23	558	S18 and S22	US-PGPUB; USPAT	OR	ON	2006/06/08 10:53
S24	23	S3 and S23	US-PGPUB; USPAT	OR	ON	2006/06/08 10:55
S25	278	S3 same S1	US-PGPUB; USPAT	OR	ON	2006/06/08 10:55
S26	88	S25 and S18	US-PGPUB; USPAT	OR	ON	2006/06/08 10:56
S27	4	S14 and S26	US-PGPUB; USPAT	OR	ON	2006/06/08 10:56
S28	11822	S1.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 11:48
S30	237	S3.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 11:49
S31	34	S28 and S30	US-PGPUB; USPAT	OR	ON	2006/06/08 12:28
S32	307571	S4.clm.	US-PGPUB; USPAT	OR	ON	2006/06/08 12:28
S33	5333	S28 and S32	US-PGPUB; USPAT	OR	ON	2006/06/08 12:28
S34	107	S14 and S33	US-PGPUB; USPAT	OR	ON	2006/06/08 12:28



reserve internet pstn

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)

Scholar

Results 1 - 10 of about 991 for reserve internet pstn. (0.19 seconds)[All articles](#) [Recent articles](#)The Session Initiation Protocol: Internet-centric signaling - group of 17 »H Schulzrinne, J Rosenberg - Communications Magazine, IEEE, 2000 - [ieeexplore.ieee.org](#)... from telephony signaling protocols in that it does not **reserve** resources or ... TRIP)for locating the best gateway between the **Internet** and the **PSTN**, as well ...[Cited by 88](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)Value-Added Internet: a Pragmatic TINA-Based Path to the Internet and PSTN Integration - group of 7 »G De Zen, MA Marsiglia, G Ricagni, L Vezzoli, H ... - Proc. TINA'97 - [doi.ieeecs.org](#)... that of integrating, at the service level, **PSTN** with the ... to provide a signalling-like protocol to **reserve** resources on ... are not a seldom event in the **Internet**. ...[Cited by 4](#) - [Web Search](#) - [Import into BibTeX](#)QoS enabled voice support in the next generation Internet: issues, existing approaches and ... - group of 10 »B Li, M Hamdi, D Lang, XR Cao, YT Hou - Communications Magazine, IEEE, 2000 - [ieeexplore.ieee.org](#)

... Applications requiring guaranteed or controlled-load service must set up path and

reserve resources before transmitting their data. ... **PSTN PSTN PSTN Internet** ...[Cited by 37](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)Call Control Component implementing converged Telephony-Internet networks - group of 2 »P Falcarin, P Lago - NCC, co-located with ICSE, 2001 - [softeng.polito.it](#)

... IP-CONNECT) and notify(PSTN-CONNECT) invocations ... more scalable architecture, able

to **reserve** resources depending ... An architecture for IN-Internet hybrid services ...[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)Internet phone—changing the telephony paradigm? - group of 2 »

RL Babbage, IL Moffat, AL O'Neill, SL Sivaraj - BT Technology Journal, 1997 - Springer

... the **PSTN** ... **INTERNET PHONE** ... Within a private or managed data network the potential existsto **reserve** some bandwidth for telephony traffic, or to use data bandwidth ...[Cited by 8](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)The IETF Internet telephony architecture and protocols - group of 9 »H Schulzrinne, J Rosenberg - Network, IEEE, 1999 - [ieeexplore.ieee.org](#)... to the public switched telephone network (**PSTN**) at the ... to note that RTP does nottry to **reserve** resources in ... plays a key component in any **Internet** telephony sys[Cited by 40](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)An Approach to Internet-Based Virtual Call Center Implementation - group of 2 »

M Popovic, V Kovacevic - Proceedings of the First International Conference on ..., 2001 - Springer

... For reliability purposes, backup (**reserve**) front-ends could be ... Resistance to attacksfrom **PSTN** is provisioned through ... The attacks from **Internet** are prevented by ...[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)Impacts of Internet Traffic on LEC Networks and Switching Systems - group of 2 »A Atai, J Gordon - Telcordia, June, 1996 - [cs.odu.edu](#)... one needs a simple method of identifying **internet** calls as ... them to a data networkbefore they enter the **PSTN**. ... packet mode ISDN calls do not **reserve** any fixed ...[Cited by 3](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)A charging model for sessions on the internet - group of 9 »

N Kausar, B Briscoe, J Crowcroft - Proc. ISCC'99 - Springer

... model, can be used to explicitly **reserve** a path or ... based pricing is to allow **internet**service provider ... use an IPtelephony gateways to interwork **PSTN** phone sets ...[Cited by 11](#) - [Web Search](#) - [Import into BibTeX](#)The Internet telephone-a new paradigm - group of 2 »IG Moffat, AG Davis, AW O'Neill - Advances in Interactive Voice Technologies for ..., 1997 - [ieeexplore.ieee.org](#)... switches or gateways to the **PSTN** dimensioned for ... relatively straightforward to createan **Internet** phone application ... have been taken to **reserve** bandwidth for ...[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Goooooooooooooole ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

reserve internet pstn Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



reserve internet pots

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 4,100 for reserve internet pots with Safesearch on. (0.15 seconds)

Did you mean: reserve internet ports

[All articles](#) [Recent articles](#)

Value-Added Internet: a Pragmatic TINA-Based Path to the Internet and PSTN Integration - group of 7 »

G De Zen, MA Marsiglia, G Ricagni, L Vezzoli, H ... - Proc. TINA'97 - doi.ieeeecs.org
 ... POP **INTERNET POTS** ISDN **POTS** ATM/ADSL ATM ... provide a signalling-like protocol
 to **reserve** resources on ... oscillations are not a seldom event in the **Internet**. ...
 Cited by 4 - [Web Search](#) - [Import into BibTeX](#)

Internet Telephony: Architecture and Protocols - an IETF Perspective - group of 42 »

H Schulzrinne, J Rosenberg - Computer Networks, 1999 - item.ntnu.no
 ... protocols such as RSVP 6 are used to **reserve** resources. ... or shared applications is
 much easier in the **Internet** environ- ment compared to the **POTS** and ISDN ...
 Cited by 96 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

National Security and Democracy on the Internet in Israel - group of 2 »

M Dahan - Computer-Mediated Culture, a special issue of Javnost-the ..., 1999 - it.murdoch.edu.au
 ... to fulfill the function of a melting **pot** in society ... in the IDF, and the subsequent
reserve duty tend ... channels and Usenet groups on the **Internet** were providing ...
 Cited by 5 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

History 638: Readings in Latin America History Fall Semester 2004 Tuesday, 5-6: 50 PM POT 145 ...

DM Coerver, LB Hall - as.uky.edu
 ... A list of the books and articles on **reserve** for this ... office, **POT** 1715, also noted
 below. ... Professor Steven Volk's (Oberlin College) of **Internet** resources and ...
[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Re-engineering the telephone system - group of 2 »

H Schulzrinne - Proc. of IEEE Singapore International Conference on Networks ... - cs.columbia.edu
 ... for the end systems to **reserve** only the ... such as provided by RTCP probably make **Internet**
 service more manageable than many traditional **POTS** installations. ...
 Cited by 32 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

... diseño de mecanismos avanzados de servicio de flujos semi-elásticos en internet con garantías de ... - group of 2 »

URN TDX - tdx.cesca.es
 ... **Internet** services and applications are increasingly demanding ... client-server system
 to **reserve** automatically the ... lectual aquesta tesi només **pot** ser reproduïda ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Compression Techniques for Distributed use of 2D and 3D Data on Internet

P Lalitha, T Murthy - 2003 - dspace.inflibnet.ac.in
 ... Modeling and Feature Extraction on **Pots**, Rocks and ... for Representation and Query via
 the **Internet**. 2001 ... etc and Catholic Univ and Casewestern **Reserve** Univ in ...
[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

DC generators for reserve power markets, economics, and technical advantages

C Smith, L Technol, TX Mesquite - Telecommunications Energy Conference, 1997. INTELEC 97., ..., 1997 - ieeeexplore.ieee.org
 ... is contrasted against other energy **reserve** schemes, both ... Lost access time on the
Internet is expensive, since ... 131 Family = Wireless Access Narrow (**POTS** VF lines ...
[Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Residential broadband Internet services and applications requirements

TC Kwok - Communications Magazine, IEEE, 1997 - ieeeexplore.ieee.org
 ... statistics of the NSF Backbone [2] (which was the **Internet** backbone until ... access
 infrastructure using dialup (plain old telephone service, **POTS**, or integrated ...
 Cited by 25 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Internet data centres (IDC): design considerations for mission critical power system performance - group of 4 »

M Grossoni, R Huempfer, E Cevenini, J Profeta, C ... - Telecommunications Energy Conference, 2001. INTELEC 2001. ..., 2001 - ieeeexplore.ieee.org
 ... days of Plain Old Telephone Service (**POTS**), customers and ... **Internet** Data Centres are
 composed of large numbers ... number of mains failures and **reserve** (or bypass ...
 Cited by 3 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Did you mean to search for: reserve internet ports

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

reserve internet pots Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



reserve internet time of day

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)"of" is a very common word and was not included in your search [details](#)**Scholar**Results 1 - 10 of about 34,500 for reserve internet time of day with Safesearch on. (0.34 seconds)[All articles](#) [Recent articles](#)The size and growth rate of the Internet - group of 12 »

KG Coffman, AM Odlyzko - First Monday, 1998 - bogor.net
 ... a week, achievable busy hour utilizations, and **reserve** capacity rules ... **Internet** can come from that source ... Online reports that its customers have tripled the **time** ...
 Cited by 85 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Reputation in An Internet Auction Market - group of 8 »

CG McDonald - Economic Inquiry, 2002 - econ.jhu.edu
 ... counsel repre- senting eBay demanded that **Internet** auction competitors ... and generally increases over the **time** period ... price and whether there is a hidden **reserve**. ...
 Cited by 48 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A policy framework for integrated and differentiated services in the Internet - group of 5 »

R Rajan, D Verma, S Kamat, E Felstaine, S Herzog - Network, IEEE, 1999 - ieeexplore.ieee.org
 ... in the **Internet** ... of individual flows, and rcgnlate their ability to **reserve** network resources. ... **Time of day**: Policy might need to adapt to administrative changes ...
 Cited by 71 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Internet Telephony: Architecture and Protocols - an IETF Perspective - group of 42 »

H Schulzrinne, J Rosenberg - Computer Networks, 1999 - item.ntnu.no
 ... protocols such as RSVP 6 are used to **reserve** resources ... single leg of a call are known ahead of **time**; this is clearly not the case for **Internet** telephony calls ...
 Cited by 96 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Nonintrusive TCP connection admission control for bandwidth management of an Internet access link - group of 4 »

A Kumar, M Hegde, SVR Anand, BN Bindu, D ... - Communications Magazine, IEEE, 2000 - ieeexplore.ieee.org
 ... could be allowed to automatically vary by **time of day** ... of the usable access link rate, **reserve** a portion ... wish to pay for some guaranteed **Internet** access bandwidth ...
 Cited by 22 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

A charging model for sessions on the internet - group of 9 »

N Kausar, B Briscoe, J Crowcroft - Proc. ISCC'99 - Springer
 ... Service model, can be used to explicitly **reserve** a path or ... A Charging Model for Sessions on the **Internet** 249 ... as the pricing information is based on **time of day** ...
 Cited by 11 - [Web Search](#) - [Import into BibTeX](#)

ICEBERG: An Internet-core Network Architecture for Integrated Communications - group of 17 »

HJ Wang, B Raman, C Chuah, R Biswas, R Gummati, B ... - IEEE Personal Communications, 2000 - research.microsoft.com
 ... that ICEBERG service providers are completely orthogonal to **Internet** Service Providers ...
 It takes as input the caller ID, callee ID, **time of day**, and dynamic ...
 Cited by 120 - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

HeartCare: an Internet-based information and support system for patient home recovery after coronary ... - group of 4 »

PFB PhD, SMM PhD, GB MSN, JJMS RNC, CV MSN, MR ... - Journal of Advanced Nursing, 2001 - Blackwell Synergy
 ... use, such as date and **time of day** when access ... the HeartCare and CHIP groups at five **time**-points: a ... approximately half has prior experience using the **Internet**. ...
 Cited by 18 - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

... flexible architecture for an accounting and charging infrastructure in the Next Generation Internet - group of 6 »

GM Fankhauser, BM Stiller, BM Plattner - NETNOMICS, 1999 - Springer
 ... terms of link bandwidth, buffers, and processing **time**. ... a packet-based network, particularly the **Internet**, is the ... provide the potential to **reserve** resources for ...
 Cited by 33 - [Web Search](#) - [Import into BibTeX](#)

Market pricing of differentiated Internet services - group of 3 »

N Semret, RRF Liao, AT Campbell, AA Lazar - Quality of Service, 1999. IWQoS'99. 1999 Seventh ..., 1999 - ieeexplore.ieee.org
 ... **Internet** ... traffic to each peer' is sta- ble over the resource allocation **time** scale (eg ... p'), meaning he is offering a quantity 4, with a **reserve** unit price ...
 Cited by 44 - [Web Search](#) - [Import into BibTeX](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

reserve internet time of day Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



redirect internet reservation request

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 1,410 for **redirect internet reservation request**. (0.13 seconds)

[All articles](#) [Recent articles](#)

Advanced Telephony Services Across the Internet - group of 10 »

HG Schulzrinne, JD Rosenberg - Bell Labs Technical Journal, 1998 - doi.wiley.com
 ... Language YESSIR—yet another sender session **Internet reservations** ... A proxy or **redirect** server can be ... aligns nicely with the **Internet** datagram architecture ...
[Cited by 32](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

The Session Initiation Protocol: Internet-centric signaling - group of 17 »

H Schulzrinne, J Rosenberg - Communications Magazine, IEEE, 2000 - ieeexplore.ieee.org
 ... LOCATING USERS Proxy and **redirect** servers use a ... be linked to other common **Internet** services in ... callee has completed its resource **reservation** successfully, it ...
[Cited by 88](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

RSVP: general-purpose signaling for IP - group of 2 »

C Metz - Internet Computing, IEEE, 1999 - ieeexplore.ieee.org
 ... even be possible for the ER1 to **redirect** the Path ... <http://computer.org/Internet/> MAY • JUNE 1999 ... RSVP **ReSerVation** Protocol Project Home Page • <http://www.isi...>
[Cited by 23](#) - [Web Search](#) - [Import into BibTeX](#)

Internet Telephony: Architecture and Protocols - an IETF Perspective - group of 42 »

H Schulzrinne, J Rosenberg - Computer Networks, 1999 - item.ntnu.no
 ... 245 wx for **Internet** telephony. We have proposed 7 to dispense with a separate resource **reservation** proto- col altogether and simply use RTCP messages to tell ...
[Cited by 96](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Guaranteed Internet bandwidth

M Arango, M Cortes - Global Telecommunications Conference, 1996. GLOBECOM'96.' ..., 1996 - ieeexplore.ieee.org
 ... ISDN or ATM circuits and **redirect** selected **Internet** ... transport of policy data in **reservation request** messages. ... sites are connected to the **Internet** backbone via ...
[Cited by 2](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Internet Media-on-Demand: The Real-Time Streaming Protocol - group of 6 »

H Schulzrinne, N York - Dept. of Computer Science-Columbia University <http://www.cs...>, 2001 - cs.columbia.edu
 ... 13 **Internet** real-time & multimedia protocols resource **reservation**: RSVP, YESSIR,
 HTTP = "the **Internet** RPC protocol" ... RECORD start recording **REDIRECT** ...
[Cited by 6](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

A Framework for the QoS Based Integration of IP and ATM in the DIANA Project

W Almesberger, S Giordano, P Cremonese, H Flinck, ... - almesberger.net
 ... on standard **Internet** routing. It is used both in hosts and routers to reserve resources for a uni-directional flow. A RSVP **reservation request** contains a so ...
[Cited by 3](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

QoS Management in regelbasierten Netzen mit RSVP und DiffServ - group of 3 »

A Kind, NECE Ltd - medienengineering.de
 ... data traffic within a single network infrastructure • Extending the **Internet** service model ... Otherwise, the **reservation request** is sent further upstream. ...
[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Voice over IP and Quality of Service

R Mechanism - comp.nus.edu.sg
 ... SIP **Redirect** Server INVITE(1) 302 moved ... **Internet** 筆記型電腦 筆記型電腦 ... to send all call requests, encapsulating **reservation request** information to ...
[Web Search](#) - [Import into BibTeX](#)

Flow labelled IP: a connectionless approach to ATM - group of 7 »

P Newman, T Lyon, G Minshall - INFOCOM'96. Fifteenth Annual Joint Conference of the IEEE ..., 1996 - ieeexplore.ieee.org
 ... to data communication. The **Internet** Protocol (IP) has also seen very rapid growth in the last several years. Current research suggests ...
[Cited by 120](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

redirect internet reservation request:

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google